

وزارة التعليم العالي والبحث العلمي  
مديرية الشؤون الادارية  
قسم اللوازم والمشتريات

جدول رقم ( 1 )

صفحة ( 1 ) من ( 1 )

جدول مواد دعوة العطاء رقم (2021 /17)

رقم المادة	اسم المادة	الوحدة	الكمية	السعر الافراضي فلس دينار	السعر الافراضي كتابة	السعر الاجمالي فلس دينار	الموديل	بلد المنشأ	مدة التسليم
1	Discussion System Specification	نظام	1						
2	Data show Specification	جهاز	1						
3	Video conference Camera Specification	جهاز	1						
وحسب المواصفات والشروط الواردة في هذه الدعوة									
القيمة الإجمالية للعرض :									

ارشادات :- لا يستعمل حبر الطمس

\* تعتمد الأسعار في هذا النموذج

\* يجب ذكر المجموع الكلي للعرض

\* يعزز أي تصويب بتوقيع المناقص


اسم المناقص :

الخاتم والتوقيع :

## Discussion System Specification

	Equipment	Quantity
1	<p><b>Microphone Chairman / Delegate Unit</b></p> <ol style="list-style-type: none"> <li>1. Connected with a cable</li> <li>2. Work with DC24V power by Central Control.</li> <li>3. Loudspeaker with auto mute, earphone jack and volume adjusting knob.</li> <li>4. Chairman unit with priority speaking, can off each representative speaking unit.</li> <li>5. Built-in LCD Display</li> </ol>	1
2	<p><b>Microphone Delegate Unit</b></p> <ol style="list-style-type: none"> <li>1. Connected with a cable</li> <li>2. Inside work with DC24V power by Central Control</li> <li>3. Loudspeaker with auto mute, earphone jack and volume adjusting knob.</li> <li>4. Built-in LCD Display</li> </ol>	13
3	<p><b>Central Control Unit</b></p> <ol style="list-style-type: none"> <li>1. LCD display for status information and configuration control the main unit and conference system single connecting and sounds signal</li> <li>2. Operate independently or connect with computer external and use with software simultaneously.</li> <li>3. Managing kinds of conference function (conference mode or operation: Appointed to speak, Free, Applied to speak and FIFO, etc)</li> <li>4. The single unit can manage functions: Open, Limit, FIFO</li> <li>5. Audio signal input interface support audio input equipment</li> <li>6. One group MIC input interface, external connects signal of handhold MIC and wireless MIC</li> <li>7. three group audio signal output interface, internal connects REC or audio equipment</li> <li>8. Power Supply: 220V~240V -50Hz</li> <li>9. Frequency response: 40-16kHz</li> <li>10. Compatible with video conference Camera.</li> </ol>	1
4	<p><b>Wireless Microphone System</b></p> <ol style="list-style-type: none"> <li>1. Wireless Transmission</li> <li>2. 2 x Bodypack with Microphone</li> <li>3. Auto Scan RF Channel Scanning</li> <li>4. Can cover 20 m (Line of Sight)</li> </ol>	1


*Handwritten signature and text in Arabic script.*



*Handwritten signature and text in Arabic script.*

## Data Show Specification

- 1- Viewing size: Up to 300"
- 2- Video standard: NTSC, PAL, SECAM, NTSC4.43, PAL-M, PAL-N
- 3- Brightness: not less than 3200 lumens
- 4- Focus: Manual
- 5- Lamp life: Up to 10000 hours
- 6-
  - AV mute slide
  - Direct power on/off
  - Document camera compatible
  - Horizontal and vertical keystone correction
  - Network projection
  - OSD copy function
  - PC free
  - Wireless LAN capable
- 7- Connectivity: Wi-Fi, HDMI, DVI, Composite, S-Video, USB

  
مدير المبيعات

  
مدير المبيعات



## Video conference Camera Specification

<b>Video Formats with laptop</b>	1080p60/1080p30/25720p30 / 720p60 /25
<b>Video Formats with XT</b>	1080p30 / 720p30
<b>Video signal</b>	Compressed (H.264) on USB
<b>Focal Length</b>	f3.5mm ~ 42.3mm,F1.8 ~ F2.8
<b>Min object distance (wide)</b>	100mm
<b>Min illumination</b>	0.5 Lux @ (F1.8, AGC ON)
<b>Optical Zoom</b>	Not less than 12x
<b>Digital Zoom</b>	Not Less than 16x
<b>Serial Control</b>	Serial In – Out - USB
<b>Ceiling Mount</b>	Supported
<b>Camera mount</b>	Tripod screw hole (1/4-20 UNC)
<b>Video configurations</b>	White balance (auto/manual); Focus Mode Compensation; Picture ((auto/manual) and WDR level auto/manual); Sharpness; Backlight; Exposure
<b>Voltage Range</b>	DC 12V
<b>Camera Output</b>	USB 3.0
<b>Interoperability</b>	Compatible with all third party conferencing clients such as Microsoft Skype for Business, Microsoft Teams, Zoom.
<b>Movement Range</b>	Pan: not less than 260° Tilt: not less than 130°
<b>Focus Control</b>	Auto Focus
<b>Supported Operating Systems</b>	Windows 7 or later

*Handwritten signature and text in Arabic script.*

*Handwritten signature and text in Arabic script.*

